### Xclaim 4X3 Kit 6

Panels A, D, J and L (1x1 Flat Panel): Total Graphic Area: 31.375"w x 31.375"h Finished Size: 27.375"w x 27.375"h

Panels B and C (1x1 Single Twist Panels):

Total Graphic Area: 33.75"w x 33.75"h Finished Size: 29.75"w x 29.75"h

Panel E (2x2 Diamond Panel): Total Graphic Area: 59"w x 59"h Finished Size: 55"w x 55"h

Panels F, I, G and H (1x1 Horizontal Thread Panel):

Total Graphic Area: 33.75"w x 31.375"h Finished Size: 29.75"w x 27.375"h

Panels K (2x1 Double Thread Panel): Total Graphic Area: 63.5"w x 31.375"h Finished Size: 59.5"w x 27.375"h

Please be sure to include a 2" bleed around the perimeter of the graphic

Please note that this template does not show the obstructions that may occur due to the graphic twisting. Please also note that there will be some distortion on these graphics once they are mounted to the frame due to the stretch of the material.


The front and back connections are color coded on this template to represent how the graphic will be mounted to the frame.



Front Connection



Back Connection




### **General Art Guidelines:**


- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 100-120 ppi
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must
   bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print



# GRAPHIC FACES FRONT OF DISPLAY DO NOT DESIGN CRITICAL ELEMENTS ON THIS PANEL

# GRAPHIC FACES FRONT OF DISPLAY DO NOT DESIGN CRITICAL ELEMENTS ON THIS PANEL





## LIGHT GRAY AREA WILL SLANT BACK ON ANGLE - PLEASE KEEP ALL CRITICAL TEXT IN DARK GRAY AREAS


### GRAPHIC FACES FRONT OF DISPLAY

DO NOT DESIGN
CRITICAL ELEMENTS
ON THIS PANEL


### GRAPHIC FACES FRONT OF DISPLAY

DO NOT DESIGN
CRITICAL ELEMENTS
ON THIS PANEL

## LIGHT GRAY AREA WILL SLANT BACK ON ANGLE - PLEASE KEEP ALL CRITICAL TEXT IN DARK GRAY AREAS



\_



LIGHT GRAY AREA WILL
SLANT BACK ON ANGLE
- PLEASE KEEP ALL
CRITICAL TEXT IN
DARK GRAY AREAS

keep critical elements inside gray box-to avoid distortion

trim line—industrial bleed area—industrial